

L Number	Hits	Search Text	DB	Time stamp
1	1	"20020051786"	USPAT; US-PGPUB	2004/05/02 19:49
2	2	"6602857"	USPAT; US-PGPUB	2004/05/02 19:50
3	5	"6261840"	USPAT; US-PGPUB	2004/05/02 19:51
4	0	"6261840" and (p85\$2 or p50\$2 or p55\$2)	USPAT; US-PGPUB	2004/05/02 19:53
5	4	"6261840" and (kinase)	USPAT; US-PGPUB	2004/05/02 19:53
6	311	ptplb	USPAT; US-PGPUB	2004/05/02 19:53
7	6	ptplb same (p85\$2 or p50\$2 or p55\$2)	USPAT; US-PGPUB	2004/05/02 19:54

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JAN 27 Source of Registration (SR) information in REGISTRY updated
and searchable
NEWS 4 JAN 27 A new search aid, the Company Name Thesaurus, available in
CA/Caplus
NEWS 5 FEB 05 German (DE) application and patent publication number format
changes
NEWS 6 MAR 03 MEDLINE and LMedline reloaded
NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded
NEWS 8 MAR 03 FRANCEPAT now available on STN
NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN
NEWS 10 MAR 29 WPIFV now available on STN
NEWS 11 MAR 29 No connect hour charges in WPIFV until May 1, 2004
NEWS 12 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA
NEWS 13 APR 26 PROMT: New display field available
NEWS 14 APR 26 IFIPAT/IFIUDB/IFICDB: New super search and display field
available
NEWS 15 APR 26 LITAlert now available on STN
NEWS 16 APR 27 NLDB: New search and display fields available

NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 21:00:44 ON 02 MAY 2004

=> file medline biosis caplus esbiobase
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 21:01:00 ON 02 MAY 2004

FILE 'BIOSIS' ENTERED AT 21:01:00 ON 02 MAY 2004
COPYRIGHT (C) 2004 BIOLOGICAL ABSTRACTS INC. (R)

FILE 'CAPLUS' ENTERED AT 21:01:00 ON 02 MAY 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'ESBIOBASE' ENTERED AT 21:01:00 ON 02 MAY 2004
COPYRIGHT (C) 2004 Elsevier Science B.V., Amsterdam. All rights reserved.

```

=> s PTP1b or phosphatase (w) 1b
L1      1879 PTP1B OR PHOSPHATASE (W) 1B

=> s 11 and (mice or mouse or rat or animal or mammal or dog#)
L2      618 L1 AND (MICE OR MOUSE OR RAT OR ANIMAL OR MAMMAL OR DOG#)

=> s 12 and (p50? or p85? or p55?)
L3      17 L2 AND (P50? OR P85? OR P55?)

=> dup rem 13
PROCESSING COMPLETED FOR L3
L4      10 DUP REM L3 (7 DUPLICATES REMOVED)

=> d 1-10 ti

L4      ANSWER 1 OF 10  CAPLUS  COPYRIGHT 2004 ACS on STN DUPLICATE 1
TI      Stearoyl-CoA desaturase 1 deficiency elevates insulin-signaling components
        and down-regulates protein-tyrosine phosphatase 1B in
        muscle

L4      ANSWER 2 OF 10  CAPLUS  COPYRIGHT 2004 ACS on STN
TI      Mouse models of diabetes mellitus

L4      ANSWER 3 OF 10  CAPLUS  COPYRIGHT 2004 ACS on STN
TI      PTP1B antisense-treated mice show regulation of genes
        involved in lipogenesis in liver and fat

L4      ANSWER 4 OF 10  CAPLUS  COPYRIGHT 2004 ACS on STN
TI      Methods for identifying compounds that inhibit or reduce PTP1B
        (protein tyrosine phosphatase 1B) expression

L4      ANSWER 5 OF 10      MEDLINE on STN                      DUPLICATE 2
TI      PTP1B antisense oligonucleotide lowers PTP1B protein,
        normalizes blood glucose, and improves insulin sensitivity in diabetic
        mice.

L4      ANSWER 6 OF 10      MEDLINE on STN                      DUPLICATE 3
TI      Protein tyrosine phosphatase 1B reduction regulates
        adiposity and expression of genes involved in lipogenesis.

L4      ANSWER 7 OF 10  BIOSIS  COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI      PTP1B reduction regulates adiposity and expression of genes
        involved in lipogenesis in ob/ob mice.

L4      ANSWER 8 OF 10  BIOSIS  COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI      Protein tyrosine phosphatase-1B negatively regulates
        insulin signaling in L6 myocytes and Fao hepatoma cells.

L4      ANSWER 9 OF 10  BIOSIS  COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI      Inhibition of PTP1B induces differential expression of
        PI3-kinase regulatory subunit (p85alpha) isoforms.

L4      ANSWER 10 OF 10  BIOSIS  COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI      PTP-1B antisense modulates key elements of the insulin signaling cascade
        in liver and fat.

=> d 9 bib ab

L4      ANSWER 9 OF 10  BIOSIS  COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
AN      2001:472886  BIOSIS
DN      PREV200100472886

```

TI Inhibition of **PTP1B** induces differential expression of
PI3-kinase regulatory subunit (**p85alpha**) isoforms.

AU Rondinone, Cristina M. [Reprint author]; Trevillyan, James M. [Reprint
author]; Clampit, Jill [Reprint author]; Koterski, Sandra [Reprint
author]; Zinker, Bradley [Reprint author]; Jirousek, Michael R. [Reprint
author]

CS Abbott Park, IL, USA

SO Diabetes, (June, 2001) Vol. 50, No. Supplement 2, pp. A400. print.
Meeting Info.: 61st Scientific Sessions of the American Diabetes
Association. Philadelphia, Pennsylvania, USA. June 22-26, 2001.
CODEN: DIAEAZ. ISSN: 0012-1797.

DT Conference; (Meeting)
Conference; Abstract; (Meeting Abstract)
Conference; (Meeting Poster)

LA English

ED Entered STN: 10 Oct 2001
Last Updated on STN: 25 Feb 2002

=> d 10 bib ab

L4 ANSWER 10 OF 10 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN

AN 2001:441633 BIOSIS

DN PREV200100441633

TI PTP-1B antisense modulates key elements of the insulin signaling cascade
in liver and fat.

AU Rondinone, Cristina M. [Reprint author]; Clampit, Jill; Gum, Rebecca;
Koterski, Sandra; Gaede, Lori; Waring, Jeffrey F.; Kroeger, Paul; Reilly,
Regina M.; Frost, Leigh; Zinker, Bradley; Butler, Madeline; Murray, Susan;
McKay, Robert; Bhanot, Sanjay; Monia, Brett; Jirousek, Michael R.;
Trevillyan, James M.

CS Abbott Park, IL, USA

SO Diabetes, (June, 2001) Vol. 50, No. Supplement 2, pp. A292. print.
Meeting Info.: 61st Scientific Sessions of the American Diabetes
Association. Philadelphia, Pennsylvania, USA. June 22-26, 2001. American
Diabetes Association.
CODEN: DIAEAZ. ISSN: 0012-1797.

DT Conference; (Meeting)
Conference; Abstract; (Meeting Abstract)
Conference; (Meeting Poster)

LA English

ED Entered STN: 19 Sep 2001
Last Updated on STN: 23 Feb 2002

=> d 8 bib bab

'BAB' IS NOT A VALID FORMAT

In a multifile environment, a format can only be used if it is valid
in at least one of the files. Refer to file specific help messages
or the STNGUIDE file for information on formats available in
individual files.

REENTER DISPLAY FORMAT FOR ALL FILES (FILEDEFAULT):bib ab

L4 ANSWER 8 OF 10 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN

AN 2001:472888 BIOSIS

DN PREV200100472888

TI Protein tyrosine **phosphatase-1B** negatively regulates
insulin signaling in L6 myocytes and Fao hepatoma cells.

AU Egawa, Katsuya [Reprint author]; Maegawa, Hiroshi; Shimizu, Shinya;
Morino, Katsutaro; Bryer-Ash, Michael; Cheung, Anthony T.; Kolls, Jay K.;
Kashiwagi, Atsunori; Kikkawa, Ryuichi

CS Otsu, Shiga, Japan

SO Diabetes, (June, 2001) Vol. 50, No. Supplement 2, pp. A401. print.

Meeting Info.: 61st Scientific Sessions of the American Diabetes Association. Philadelphia, Pennsylvania, USA. June 22-26, 2001.
CODEN: DIAEAZ. ISSN: 0012-1797.

DT Conference; (Meeting)
Conference; Abstract; (Meeting Abstract)
Conference; (Meeting Poster)
LA English
ED Entered STN: 10 Oct 2001
Last Updated on STN: 23 Feb 2002

=> d his

(FILE 'HOME' ENTERED AT 21:00:44 ON 02 MAY 2004)

FILE 'MEDLINE, BIOSIS, CAPLUS, ESBIOBASE' ENTERED AT 21:01:00 ON 02 MAY 2004

L1 1879 S PTP1B OR PHOSPHATASE (W) 1B
L2 618 S L1 AND (MICE OR MOUSE OR RAT OR ANIMAL OR MAMMAL OR DOG#)
L3 17 S L2 AND (P50? OR P85? OR P55?)
L4 10 DUP REM L3 (7 DUPLICATES REMOVED)

=> s l2 and py<2002
2 FILES SEARCHED...

L5 344 L2 AND PY<2002

=> s l5 and inhibit?
L6 201 L5 AND INHIBIT?

=> dup rem l6
PROCESSING COMPLETED FOR L6
L7 105 DUP REM L6 (96 DUPLICATES REMOVED)

=> d 1-105 ti

L7 ANSWER 1 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI RNA interference mediated **inhibition** of gene expression using chemically modified short interfering nucleic acid

L7 ANSWER 2 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI RNA interference-mediated **inhibition** of protein tyrosine **phosphatase-1B** (PTP-1B) gene expression using short interfering nucleic acids

L7 ANSWER 3 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Antisense modulation of **PTP1B** (protein tyrosine **phosphatase 1B**) expression and treatment of diabetes, obesity, and cancer

L7 ANSWER 4 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN DUPLICATE 1
TI Nucleic acid-based ribozyme and DNAzyme modulators of gene expression

L7 ANSWER 5 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Antisense modulation of **PTP1B** expression

L7 ANSWER 6 OF 105 MEDLINE on STN DUPLICATE 2
TI TYK2 and JAK2 are substrates of protein-tyrosine **phosphatase 1B**.

L7 ANSWER 7 OF 105 MEDLINE on STN DUPLICATE 3
TI Acquisition of a specific and potent **PTP1B inhibitor** from a novel combinatorial library and screening procedure.

L7 ANSWER 8 OF 105 MEDLINE on STN DUPLICATE 4
 TI Galpha(i2) enhances insulin signaling via suppression of protein-tyrosine **phosphatase 1B**.

L7 ANSWER 9 OF 105 MEDLINE on STN DUPLICATE 5
 TI Enhanced sensitivity of insulin-resistant adipocytes to vanadate is associated with oxidative stress and decreased reduction of vanadate (+5) to vanadyl (+4).

L7 ANSWER 10 OF 105 MEDLINE on STN DUPLICATE 6
 TI Insulin stimulates tyrosine phosphorylation and inactivation of protein-tyrosine **phosphatase 1B** in vivo.

L7 ANSWER 11 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Potentiation of insulin-related signal transduction by a novel protein-tyrosine phosphatase **inhibitor**, Et-3,4-dephostatin, on cultured 3T3-L1 adipocytes

L7 ANSWER 12 OF 105 MEDLINE on STN DUPLICATE 7
 TI Attenuation of adhesion-dependent signaling and cell spreading in transformed fibroblasts lacking protein tyrosine **phosphatase-1B**.

L7 ANSWER 13 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI The reciprocal role of Egr-1 and Sp family proteins in regulation of the **PTP1B** promoter in response to the p210 Bcr-Abl oncoprotein-tyrosine kinase

L7 ANSWER 14 OF 105 MEDLINE on STN
 TI Insulin-stimulated hydrogen peroxide reversibly **inhibits** protein-tyrosine **phosphatase 1b** in vivo and enhances the early insulin action cascade.

L7 ANSWER 15 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Steric hindrance as a basis for structure-based design of selective **inhibitors** of protein-tyrosine phosphatases.

L7 ANSWER 16 OF 105 MEDLINE on STN
 TI Small molecule peptidomimetics containing a novel phosphotyrosine bioisostere **inhibit** protein tyrosine **phosphatase 1B** and augment insulin action.

L7 ANSWER 17 OF 105 MEDLINE on STN DUPLICATE 8
 TI Sodium stibogluconate is a potent **inhibitor** of protein tyrosine phosphatases and augments cytokine responses in hemopoietic cell lines.

L7 ANSWER 18 OF 105 MEDLINE on STN
 TI Phosphorylation of **PTP1B** at Ser(50) by Akt impairs its ability to dephosphorylate the insulin receptor.

L7 ANSWER 19 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Use of an anaerobic environment to preserve the endogenous activity of protein-tyrosine phosphatases isolated from intact cells.

L7 ANSWER 20 OF 105 MEDLINE on STN DUPLICATE 9
 TI Modulation of PKCdelta tyrosine phosphorylation and activity in salivary and PC-12 cells by Src kinases.

L7 ANSWER 21 OF 105 Elsevier BIOBASE COPYRIGHT 2004 Elsevier Science B.V. on STN
 TI Modulation of PKCδ tyrosine phosphorylation and activity in salivary and PC-12 cells by Src kinases

L7 ANSWER 22 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Transcriptional regulation by BDNF using microarrays and single cell analysis in synaptic plasticity.

L7 ANSWER 23 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Role of protein tyrosine phosphorylation in acetaldehyde-induced disruption of epithelial tight junctions

L7 ANSWER 24 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Protein tyrosine phosphatase (PTP) **inhibition** by phosphomolybdate and phosphotungstate in vitro.

L7 ANSWER 25 OF 105 MEDLINE on STN
 TI Low M(r) protein tyrosine phosphatase **inhibits** growth and migration of vascular smooth muscle cells induced by platelet-derived growth factor.

L7 ANSWER 26 OF 105 MEDLINE on STN DUPLICATE 10
 TI Adenovirus-mediated overexpression and stimulation of the human angiotensin II type 2 receptor in porcine cardiac fibroblasts does not modulate proliferation, collagen I mRNA expression and ERK1/ERK2 activity, but **inhibits** protein tyrosine phosphatases.

L7 ANSWER 27 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI 1,1-Disubstituted methoxyimino acetic acid (A-119505), a novel **PTP1B inhibitor** with anti-diabetic effects in ob/ob mice.

L7 ANSWER 28 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Modulation of protein kinase signaling by protein phosphatases and **inhibitors**.

L7 ANSWER 29 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI cDNA microarray analysis of multidrug resistance: doxorubicin selection produces multiple defects in apoptosis signaling pathways

L7 ANSWER 30 OF 105 MEDLINE on STN DUPLICATE 11
 TI Protein tyrosine phosphatases: prospects for therapeutics.

L7 ANSWER 31 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI (2R)-2-(2',6'-dichloro-4'-dibenzo(b,d)furan-4''-ylphenoxy)-3-phenylpropanoic acid (A-321842) as a protein tyrosine **phosphatase 1B (PTP1B) inhibitor** with anti-diabetic effects in ob/ob mice.

L7 ANSWER 32 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Protein tyrosine **phosphatase-1B** negatively regulates insulin signaling in L6 myocytes and Fao hepatoma cells.

L7 ANSWER 33 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI **Inhibition** of **PTP1B** induces differential expression of PI3-kinase regulatory subunit (p85alpha) isoforms.

L7 ANSWER 34 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Insulin-stimulated generation of hydrogen peroxide reversibly **inhibits PTP1B** in vivo and enhances the early insulin action cascade.

L7 ANSWER 35 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 DUPLICATE 12
 TI Enhancement of post-receptor insulin signaling by trivalent chromium in hepatoma cells is associated with differential **inhibition** of specific protein-tyrosine phosphatases.

L7 ANSWER 36 OF 105 MEDLINE on STN
 TI Development of a robust scintillation proximity assay for protein tyrosine **phosphatase 1B** using the catalytically inactive (C215S) mutant.

L7 ANSWER 37 OF 105 MEDLINE on STN DUPLICATE 13
 TI Protein-tyrosine **phosphatase 1B (PTP1B)**: a novel therapeutic target for type 2 diabetes mellitus, obesity and related states of insulin resistance.

L7 ANSWER 38 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Pulling strings below the surface: Hormone receptor signaling through **inhibition** of protein tyrosine phosphatases.

L7 ANSWER 39 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Antisense therapy for diabetes

L7 ANSWER 40 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI **Inhibition** of protein phosphatase activity enhances hepatic insulin signaling and reverses apoB overproduction in an insulin resistant hamster model.

L7 ANSWER 41 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Methods of making protein tyrosine **phosphatase-1b** (PTP-1B) deficient **mice** and their uses in drug screening for obesity and diabetes therapy

L7 ANSWER 42 OF 105 MEDLINE on STN DUPLICATE 14
 TI A cytosolic protein-tyrosine phosphatase **PTP1B** specifically dephosphorylates and deactivates prolactin-activated STAT5a and STAT5b.

L7 ANSWER 43 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Down-regulation of insulin signaling by protein-tyrosine **phosphatase 1B** is mediated by an N-terminal binding region.

L7 ANSWER 44 OF 105 MEDLINE on STN DUPLICATE 15
 TI Overexpression of protein-tyrosine **phosphatase-1B** in adipocytes **inhibits** insulin-stimulated phosphoinositide 3-kinase activity without altering glucose transport or Akt/Protein kinase B activation.

L7 ANSWER 45 OF 105 MEDLINE on STN
 TI Residue 259 is a key determinant of substrate specificity of protein-tyrosine phosphatases 1B and alpha.

L7 ANSWER 46 OF 105 MEDLINE on STN DUPLICATE 16
 TI Structure-based design of a low molecular weight, nonphosphorus, nonpeptide, and highly selective **inhibitor** of protein-tyrosine **phosphatase 1B**.

L7 ANSWER 47 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Pleiotropic resistance to DNA-interactive drugs is associated with increased expression of genes involved in DNA replication, repair, and stress response. [Erratum to document cited in CA134:269]

L7 ANSWER 48 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Pleiotropic resistance to DNA-interactive drugs is associated with increased expression of genes involved in DNA replication, repair, and stress response

L7 ANSWER 49 OF 105 MEDLINE on STN DUPLICATE 17

TI Synthesis and **PTP1B inhibition** of novel
 4-aryl-1-oxa-9-thiacyclopenta[b]fluorenes.

L7 ANSWER 50 OF 105 MEDLINE on STN DUPLICATE 18
 TI Novel benzofuran and benzothiophene biphenyls as **inhibitors** of
 protein tyrosine **phosphatase 1B** with antihyperglycemic
 properties.

L7 ANSWER 51 OF 105 MEDLINE on STN DUPLICATE 19
 TI New azolidinediones as **inhibitors** of protein tyrosine
phosphatase 1B with antihyperglycemic properties.

L7 ANSWER 52 OF 105 MEDLINE on STN DUPLICATE 20
 TI Protein tyrosine **phosphatase-1B** in diabetes.

L7 ANSWER 53 OF 105 MEDLINE on STN DUPLICATE 21
 TI Elevated expression and activity of protein-tyrosine **phosphatase**
1B in skeletal muscle of insulin-resistant type II diabetic
 Goto-Kakizaki rats.

L7 ANSWER 54 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI **Inhibition** of protein tyrosine phosphatases by
 low-molecular-weight S-nitrosothiols and S-nitrosylated human serum
 albumin.

L7 ANSWER 55 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI **PTP1B inhibition** and antihyperglycemic activity in the
 ob/ob **mouse** model of novel 11-arylbenzo[b]naphtho[2,3-d]furans
 and 11-arylbenzo[b]naphtho[2,3-d]thiophenes

L7 ANSWER 56 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Small-molecule **inhibitors** of **PTP1B**.

L7 ANSWER 57 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Design and synthesis of selective PTPase 1B **inhibitors** targeted
 to the treatment of type II diabetes.

L7 ANSWER 58 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Small-molecule **inhibitors** of **PTP1B**.

L7 ANSWER 59 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Preparation of (2-acylaminothiazole-4-yl)acetic acid derivatives for
 treating metabolic disorders related to insulin resistance or
 hyperglycemia

L7 ANSWER 60 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Preparation of bicyclic heterocyclic amides as modulators of protein
 tyrosine phosphatases (PTPases)

L7 ANSWER 61 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Preparation of thieno[2,3-c]pyrans and thieno[2,3-c]pyridines as
 modulators of protein tyrosine phosphatases (PTPases)

L7 ANSWER 62 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Preparation of thiophenecarboxylic acid derivatives and analogs as
 modulators of protein tyrosine phosphatases (PTPases)

L7 ANSWER 63 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Preparation of oxalylaminothiophene derivatives as modulators of protein
 tyrosine phosphatases (PTPases)

L7 ANSWER 64 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Preparation of (oxalylamino)benzoic acid derivatives and analogs as

modulators of protein tyrosine phosphatases (PTPases)

- L7 ANSWER 65 OF 105 MEDLINE on STN
TI Evidence for a calpeptin-sensitive protein-tyrosine phosphatase upstream of the small GTPase Rho. A novel role for the calpain **inhibitor** calpeptin in the **inhibition** of protein-tyrosine phosphatases.
- L7 ANSWER 66 OF 105 MEDLINE on STN DUPLICATE 22
TI **PTP1B inhibition** and antihyperglycemic activity in the ob/ob **mouse** model of novel 11-arylbenzo[b]naphtho[2,3-d]furans and 11-arylbenzo[b]naphtho[2,3-d]thiophenes.
- L7 ANSWER 67 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI New clues found to diabetes and obesity.
- L7 ANSWER 68 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI NO alters cell shape and motility in aortic smooth muscle cells via protein tyrosine **phosphatase 1B** activation.
- L7 ANSWER 69 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Differential expression and translocation of protein tyrosine **phosphatase 1B**-related proteins in ME-180 tumor cells expressing apoptotic sensitivity and resistance to tumor necrosis factor: potential interaction with epidermal growth factor receptor
- L7 ANSWER 70 OF 105 MEDLINE on STN DUPLICATE 23
TI Role of protein tyrosine **phosphatase-1B** in diabetes and obesity.
- L7 ANSWER 71 OF 105 MEDLINE on STN DUPLICATE 24
TI A phosphotyrosyl mimetic peptide reverses impairment of insulin-stimulated translocation of GLUT4 caused by overexpression of **PTP1B** in **rat** adipose cells.
- L7 ANSWER 72 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
DUPLICATE 25
TI Opening of ATP-sensitive K⁺ channel by pinacidil requires serine/threonine phosphorylation in **rat** ventricular myocytes.
- L7 ANSWER 73 OF 105 MEDLINE on STN DUPLICATE 26
TI Overexpression of protein tyrosine phosphatase-alpha (PTP-alpha) but not PTP-kappa **inhibits** translocation of GLUT4 in **rat** adipose cells.
- L7 ANSWER 74 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Substrate-trapping protein tyrosine phosphatase mutants for identification of tyrosine-phosphorylated protein substrates and their clinical uses
- L7 ANSWER 75 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Reversible inactivation of protein-tyrosine **phosphatase 1B** in A431 cells stimulated with epidermal growth factor
- L7 ANSWER 76 OF 105 MEDLINE on STN DUPLICATE 27
TI Protein tyrosine phosphatase **PTP1B** suppresses p210 bcr-abl-induced transformation of **rat**-1 fibroblasts and promotes differentiation of K562 cells.
- L7 ANSWER 77 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Insulin regulates the dynamic balance between Ras and Rap1 signaling by coordinating the assembly states of the Grb2-SOS and CrkII-C3G complexes
- L7 ANSWER 78 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI Tyrosine phosphorylation of selected secretory carrier membrane proteins,

SCAMP1 and SCAMP3, and association with the EGF receptor.

- L7 ANSWER 79 OF 105 MEDLINE on STN DUPLICATE 28
TI Potent non-peptidyl **inhibitors** of protein tyrosine
phosphatase 1B.
- L7 ANSWER 80 OF 105 Elsevier BIOBASE COPYRIGHT 2004 Elsevier Science B.V.
on STN
TI High glucose-induced abnormal epidermal growth factor signaling
- L7 ANSWER 81 OF 105 MEDLINE on STN DUPLICATE 29
TI Transformation suppression by protein tyrosine **phosphatase**
1B requires a functional SH3 ligand.
- L7 ANSWER 82 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Multiple phosphorylation of chicken protein tyrosine phosphatase 1 and
human protein tyrosine **phosphatase 1B** by casein kinase
II and p60c-src in vitro
- L7 ANSWER 83 OF 105 MEDLINE on STN DUPLICATE 30
TI Protein tyrosine **phosphatase 1B** negatively regulates
integrin signaling.
- L7 ANSWER 84 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Method and phosphopeptides for treatment of insulin resistance based on
the association of protein tyrosine **phosphatase 1B** with
the activated insulin receptor
- L7 ANSWER 85 OF 105 MEDLINE on STN DUPLICATE 31
TI Protein-tyrosine phosphatases **PTP1B** and syp are modulators of
insulin-stimulated translocation of GLUT4 in transfected **rat**
adipose cells.
- L7 ANSWER 86 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
TI Phosphorylationh of protein-tyrosine phosphatase PTP-1B on identical sites
suggests activation of a common signaling pathway during mitosis and
stress response in mammalian cells
- L7 ANSWER 87 OF 105 MEDLINE on STN DUPLICATE 32
TI Mitogen-activated protein kinase phosphatase 1 **inhibits** the
stimulation of gene expression by hypertrophic agonists in cardiac
myocytes.
- L7 ANSWER 88 OF 105 MEDLINE on STN DUPLICATE 33
TI Effect of tumor necrosis factor-alpha on the phosphorylation of tyrosine
kinase receptors is associated with dynamic alterations in specific
protein-tyrosine phosphatases.
- L7 ANSWER 89 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI Protein-tyrosine **phosphatase 1B** is a negative
regulator of insulin- and insulin-like growth factor-I-stimulated
signaling.
- L7 ANSWER 90 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
TI Protein tyrosine **phosphatase 1B** interacts with the
activated insulin receptor.
- L7 ANSWER 91 OF 105 MEDLINE on STN DUPLICATE 34
TI Reciprocal modulation of ATP-sensitive K⁺ channel activity in **rat**
ventricular myocytes by phosphorylation of tyrosine and serine/threonine
residues.
- L7 ANSWER 92 OF 105 MEDLINE on STN DUPLICATE 35

TI Structural basis for **inhibition** of receptor protein-tyrosine phosphatase-alpha by dimerization.

L7 ANSWER 93 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Cloning and characterization of a chicken protein tyrosine phosphatase, CPTP1

L7 ANSWER 94 OF 105 MEDLINE on STN DUPLICATE 36
 TI Osmotic loading of neutralizing antibodies demonstrates a role for protein-tyrosine **phosphatase 1B** in negative regulation of the insulin action pathway.

L7 ANSWER 95 OF 105 MEDLINE on STN DUPLICATE 37
 TI Thiazolidine derivatives ameliorate high glucose-induced insulin resistance via the normalization of protein-tyrosine phosphatase activities.

L7 ANSWER 96 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 DUPLICATE 38
 TI Differentiation of peptide molecular recognition by phospholipase C-gamma-1 Src homology-2 domain and a mutant Tyr phosphatase **PTP1b**-C215S.

L7 ANSWER 97 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI The crystal structure of a low-molecular-weight phosphotyrosine protein phosphatase.

L7 ANSWER 98 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Selected molecular targets for diagnosis and therapy of epithelial ovarian cancer

L7 ANSWER 99 OF 105 MEDLINE on STN DUPLICATE 39
 TI Sequence specificity in recognition of the epidermal growth factor receptor by protein tyrosine **phosphatase 1B**.

L7 ANSWER 100 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Increased expression of specific protein tyrosine phosphatases in human breast epithelial cells neoplastically transformed by the neu oncogene.

L7 ANSWER 101 OF 105 MEDLINE on STN DUPLICATE 40
 TI Comparison of the biochemical and biological functions of tyrosine phosphatases from fission yeast, budding yeast and **animal** cells.

L7 ANSWER 102 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI Identification of a protein-tyrosine phosphatase from human platelet membranes by an immobilized-based solid phase assay.

L7 ANSWER 103 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Identification of a **rat** liver protein-tyrosine phosphatase similar to human placental PTPase-1B using quantitatively phosphorylated protein substrates

L7 ANSWER 104 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 TI Serine phosphorylation of protein tyrosine phosphatase (**PTP1B**) in HeLa cells in response to analogs of cAMP or diacylglycerol plus okadaic acid

L7 ANSWER 105 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 TI PURIFICATION AND CHARACTERIZATION OF A HIGHER-MOLECULAR-MASS FORM OF PROTEIN PHOSPHOTYROSINE PHOSPHATE PTP 1B FROM PLACENTAL MEMBRANES.

=> d 27 bib ab

L7 ANSWER 27 OF 105 BIOSIS COPYRIGHT 2004 BIOLOGICAL ABSTRACTS INC. on STN
 AN 2001:449086 BIOSIS
 DN PREV200100449086
 TI 1,1-Disubstituted methoxyimino acetic acid (A-119505), a novel
PTP1B inhibitor with anti-diabetic effects in ob/ob
mice.
 AU Liu, Gang [Reprint author]; Bai, Hao [Reprint author]; Zinker, Bradley
 [Reprint author]; Xie, Nancy [Reprint author]; Nyugen, Bach [Reprint
 author]; Comess, Kenneth [Reprint author]; Ballaron, Steve [Reprint
 author]; Arnold, William [Reprint author]; Jirousek, Michael R. [Reprint
 author]
 CS Abbott Park, IL, USA
 SO Diabetes, (June, 2001) Vol. 50, No. Supplement 2, pp. A506. print.
 Meeting Info.: 61st Scientific Sessions of the American Diabetes
 Association. Philadelphia, Pennsylvania, USA. June 22-26, 2001. American
 Diabetes Association.
 CODEN: DIAEAZ. ISSN: 0012-1797.
 DT Conference; (Meeting)
 Conference; Abstract; (Meeting Abstract)
 LA English
 ED Entered STN: 19 Sep 2001
 Last Updated on STN: 22 Feb 2002

=> d 41, 53 55 bib ab

L7 ANSWER 41 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2000:98732 CAPLUS
 DN 132:150278
 TI Methods of making protein tyrosine **phosphatase-1b**
 (PTP-1B) deficient **mice** and their uses in drug screening for
 obesity and diabetes therapy
 IN Kennedy, Brian; Payette, Paul; Gresser, Michael; Ramachandran,
 Chidambaram; Tremblay, Michel L.; Elchebly, Mounib
 PA Merck Frosst Canada and Co., Can.; McGill University
 SO PCT Int. Appl., 50 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000006712	A2	20000210	WO 1999-CA675	19990723 <--
	WO 2000006712	A3	20010531		
	W: CA, JP, US				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	CA 2338643	AA	20000210	CA 1999-2338643	19990723 <--
	EP 1119614	A2	20010801	EP 1999-932587	19990723 <--
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	US 6605753	B1	20030812	US 2001-744383	20010123
	US 2002138862	A1	20020926	US 2001-918396	20010730
	US 2003217379	A1	20031120	US 2003-460115	20030612
PRAI	US 1998-93975P	P	19980724		
	WO 1999-CA675	W	19990723		
	US 2001-744383	A3	20010123		
AB	The present invention relates to methods of making protein tyrosine phosphatase-1b (PTP-1B) deficient mice and their uses in drug screening for obesity and diabetes therapy. The PTP-1B gene knockout mice (PTP-1B-/-) was made by targeted homologous recombination, which are physiol. normal but with no detectable PTP-1B				

protein. Compared to their wild-type littermates, these **mice** have half the level of circulating insulin in the fed state on a normal diet; but show a resistance to weight gain when fed a high fat, high carbohydrate diet. In glucose and insulin tolerance tests, the **mice** show an increased insulin sensitivity. The PTP-1B-/- **mice** showed increased phosphorylation of the insulin receptor in liver and muscle tissue after insulin injection in comparison to PTP-1B+/+ **mice**. These results demonstrate that PTP-1B has a major role in modulating both insulin sensitivity and fuel metabolism, thereby establishing it as a potential therapeutic target in the treatment of type 2 diabetes and obesity. Methods of making the **mice** and cell lines derived from PTP-1B-/- **mice**, and identifying **inhibitors** of the enzymic activity of PTP-1B are also provided.

L7 ANSWER 53 OF 105 MEDLINE on STN DUPLICATE 21
 AN 2000441785 MEDLINE
 DN PubMed ID: 10924321
 TI Elevated expression and activity of protein-tyrosine **phosphatase 1B** in skeletal muscle of insulin-resistant type II diabetic Goto-Kakizaki rats.
 AU Dadke S S; Li H C; Kusari A B; Begum N; Kusari J
 CS Department of Physiology, Tulane University School of Medicine, New Orleans, Louisiana, USA.
 NC DK 46490 (NIDDK)
 SO Biochemical and biophysical research communications, (2000 Aug 11) 274 (3) 583-9.
 Journal code: 0372516. ISSN: 0006-291X.
 CY United States
 DT Journal; Article; (JOURNAL ARTICLE)
 LA English
 FS Priority Journals
 EM 200009
 ED Entered STN: 20000928
 Last Updated on STN: 20000928
 Entered Medline: 20000915
 AB We investigated the cellular mechanism(s) of insulin resistance associated with non-insulin dependent diabetes mellitus (NIDDM) using skeletal muscles isolated from non-obese, insulin resistant type II diabetic Goto-Kakizaki (GK) rats, a well known genetic **rat** model for type II diabetic humans. Relative to non-diabetic control rats (WKY), insulin-stimulated insulin receptor (IR) autophosphorylation and insulin receptor substrate-1 (IRS-1) tyrosine phosphorylation were significantly **inhibited** in GK skeletal muscles. This may be due to increased dephosphorylation by a protein tyrosine phosphatase (PTPase). Therefore, we measured skeletal muscle total PTPase and PTPase 1B activities in the skeletal muscles isolated from control rats (WKY) and diabetic Goto-Kakizaki (GK) rats. PTPase activity was measured using a synthetic phosphopeptide, TRDIY(P)ETDY(P)Y(P)RK, as the substrate. Basal PTPase activity was 2-fold higher ($P < 0.001$) in skeletal muscle of GK rats when compared to WKY. Insulin infusion **inhibited** skeletal muscle PTPase activity in both control (26.20% of basal, $P < 0.001$) and GK (25.35% of basal, $P < 0.001$) rats. However, PTPase activity in skeletal muscle of insulin-stimulated GK rats was 200% higher than hormone-treated WKY controls ($P < 0.001$). Immunoprecipitation of PTPase 1B from skeletal muscle lysates and analysis of the enzyme activity in immunoprecipitates indicated that both basal and insulin-stimulated PTPase 1B activities were significantly higher (twofold, $P < 0.001$) in skeletal muscle of diabetic GK rats when compared to WKY controls. The increase in PTPase 1B activity in diabetic GK rats was associated with an increased expression of the PTPase 1B protein. We concluded that insulin resistance of GK rats is accompanied at least by an abnormal regulation of PTPase 1B. Elevated PTPase 1B activity through enhanced tyrosine dephosphorylation of the insulin receptor and its substrates, may lead to impaired glucose

tolerance and insulin resistance in GK rats.
Copyright 2000 Academic Press.

L7 ANSWER 55 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2000:304861 CAPLUS
DN 133:83859
TI **PTP1B inhibition** and antihyperglycemic activity in the
ob/ob **mouse** model of novel 11-arylbenzo[b]naphtho[2,3-d]furans
and 11-arylbenzo[b]naphtho[2,3-d]thiophenes
AU Li, Jie Jack; Visnick, Mike
CS Parke-Davis Pharmaceutical Research, Division of Warner-Lambert Company,
USA
SO Chemtracts (2000), 13(4), 259-264
CODEN: CHEMFW; ISSN: 1431-9268
PB Springer-Verlag New York Inc.
DT Journal; General Review
LA English
AB The title research of J. Wrobel et al. (1999) is reviewed with commentary
and 3 refs.
RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> FIL STNGUIDE

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	65.65	65.86

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.39	-1.39

FILE 'STNGUIDE' ENTERED AT 21:16:34 ON 02 MAY 2004
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Apr 30, 2004 (20040430/UP).

=> d 57, 66, 79 bib ab

YOU HAVE REQUESTED DATA FROM FILE 'MEDLINE, BIOSIS, CAPLUS, ESBIODBASE' - CONTINUE?
(Y)/N:y

L7 ANSWER 57 OF 105 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2000:331628 CAPLUS
TI Design and synthesis of selective PTPase 1B **inhibitors** targeted
to the treatment of type II diabetes.
AU Primeau, John; Antane, Madelene; Adebayo, Folake; Butera, John; Caufield,
Craig; Dietrich, Arlene; Dollings, Paul; Graceffa, Russell; Greenfield,
Alex; Gunawan, Iwan; Gundersen, Eric; Havran, Lisa; Lennox, Joe; Li,
Zenan; Malamas, Mike; Mayer, Scott; McDevitt, Bob; Morris, Koi; Morrison,
Eamonn; Pan, Sherry; Wrobel, Jay; Steiner, Kurt; Moxham, Chris; Sredy,
Janet; Sawicki, Diane; Seestaller-Wehr, Laura; Demick, Mary Ellen; Taylor,
Joe; Baeder, William; Xu, Wei-Xin; Parris, Kevin; Katz, Alan
CS Chemical Sciences, Wyeth-Ayerst Research, Princeton, NJ, 08543-8000, USA
SO Book of Abstracts, 219th ACS National Meeting, San Francisco, CA, March
26-30, 2000 (2000), MEDI-028 Publisher: American Chemical
Society, Washington, D. C.
CODEN: 69CLAC
DT Conference; Meeting Abstract

LA English
AB Based on recent data, it is now well accepted that Protein Tyrosine **Phosphatase 1B** plays an important role in insulin receptor signaling. This same body of data suggests that attenuation of the function of this enzyme leads to an increase in insulin sensitivity in **animal** models and suggests a beneficial effect in the treatment of Type II Diabetes in man. This presentation will describe the ongoing efforts at Wyeth-Ayerst Research that, beginning with both directed and high throughput screening, led to the discovery of a number of potent, small mol., PTPase 1B **inhibitors**. Some of the SAR studies that converted these lead structures into potent and selective agents with oral activity in **animal** models of human type II diabetes will also be described.

L7 ANSWER 66 OF 105 MEDLINE on STN DUPLICATE 22
AN 1999395202 MEDLINE
DN PubMed ID: 10464006
TI **PTP1B inhibition** and antihyperglycemic activity in the ob/ob **mouse** model of novel 11-arylbenzo[b]naphtho[2,3-d]furans and 11-arylbenzo[b]naphtho[2,3-d]thiophenes.
AU Wrobel J; Sredy J; Moxham C; Dietrich A; Li Z; Sawicki D R; Seestaller L; Wu L; Katz A; Sullivan D; Tio C; Zhang Z Y
CS Wyeth-Ayerst Research, Inc., CN 8000, Princeton, New Jersey 08543-8000, USA.
SO Journal of medicinal chemistry, (1999 Aug 26) 42 (17) 3199-202.
Journal code: 9716531. ISSN: 0022-2623.
CY United States
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 199909
ED Entered STN: 19991005
Last Updated on STN: 19991005
Entered Medline: 19990920

L7 ANSWER 79 OF 105 MEDLINE on STN DUPLICATE 28
AN 1999018625 MEDLINE
DN PubMed ID: 9801817
TI Potent non-peptidyl **inhibitors** of protein tyrosine **phosphatase 1B**.
CM Erratum in: Bioorg Med Chem 1998 Nov;6(11):2235
AU Taylor S D; Kotoris C C; Dinaut A N; Wang Q; Ramachandran C; Huang Z
CS Department of Chemistry, Erindale College, University of Toronto, Mississauga, Ontario, Canada.. staylor@credit.erin.utoronto.ca
SO Bioorganic & medicinal chemistry, (1998 Sep) 6 (9) 1457-68.
Journal code: 9413298. ISSN: 0968-0896.
CY ENGLAND: United Kingdom
DT Journal; Article; (JOURNAL ARTICLE)
LA English
FS Priority Journals
EM 199901
ED Entered STN: 19990128
Last Updated on STN: 20000303
Entered Medline: 19990112

AB The development of **inhibitors** of protein tyrosine phosphatases (PTPs) has recently been the subject of intensive investigation due to their potential as chemotherapeutics and as tools for studying signal transduction pathways. Here we report the evaluation of a variety of small molecule, non-peptidyl **inhibitors** of protein tyrosine **phosphatase 1B** (PTP1B), bearing the alpha, alpha-difluoromethylenephosphonic acid (DFMP) group, a non-hydrolyzable phosphate mimetic. A series of phenyl derivatives bearing a single DFMP group were initially surveyed. In general, these were not significantly

more potent **inhibitors** than the parent compound, alpha, alpha-difluorobenzylphosphonic acid, with the exception being the meta-phenyl substituted species which decreased the IC₅₀ by approximately 17-fold relative to alpha, alpha-difluorobenzylphosphonic acid. However, certain compounds bearing two DFMP moieties were very potent **inhibitors**. Some of these are among the most potent small molecule **inhibitors** of any PTP reported to date with the best one exhibiting a K_i of 1.5 microM. The structural basis for these results are discussed. One of the bis-DFMP **inhibitors** was examined in detail and it was found that the fluorines were essential for potent **inhibition**. **Inhibition** was independent of pH between pH 5.5-7.2 suggesting that both the mono and dianionic forms of the individual DFMP groups bind equally well. The trends observed in the **inhibitory** potency of these compounds with **PTP1B** were very similar to the trends observed by other workers on the K(m)'s of the analogous phenylphosphate substrates with **rat** PTP1. This indicates that studies of non-peptidyl substrates with **rat** PTP1 can be used as a guide for the development of human **PTP1B inhibitors**.

=>